



1. Product and Company Identification

Product Name	Sani-Cloth Plus MSDS No. MSDS0002		
CAS #	Mixture		
Product use	Germicidal Cleaner		
Manufacturer	Nice-Pak Products, Inc. or PDI, The Healthcare Div. of Nice-Pak Products, Inc. Two Nice-Pak Park Orangeburg, NY 10962-1376 Toronto, ON M9L 1V8 Canada Flint, United Kingdom Phone (USA) 1-845-365-1700 (M-F 8am - 5pm) Phone (CANADA) 1-800-263-7067 Phone (United Kingdom) +44 (0) 1352-736700		
LEGEND HMIS/NFPA	Health / 2		
Severe 4	Flammability 0		
Serious 3			
Moderate 2	Physical Hazard 0		
Slight 1	Personal Protection B		
Minimal 0			
	2. Hazards Identification		
Emergency overview	CAUTION Hazards to humans and domestic animals. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thorougly with soap and water after handling.		
Potential short term health e			
-	Routes of exposure Eye, Skin contact, Skin absorption, Inhalation.		
Eyes	Moderately irritating to the eyes.		
Skin	Overexposures may cause irritation.		
NIOSH - Pocket Guide - Skin			
Ethanol, 2-butoxy-	111-76-2 Potential for dermal absorption		
Inhalation	Excessive inhalation of this material causes headache, dizziness, nausea and incoordination.		
Ingestion	Not a normal route of exposure. May cause stomach distress, nausea or vomiting.		
Target organs	Blood. Eyes. Respiratory system. Skin.		
Chronic effects	This product may be harmful if it is absorbed through the skin. Prolonged or repeated exposure can cause drying, defatting and dermatitis.		
Signs and symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.		

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
2-Propanol	67-63-0	10 - 20
Ethanol, 2-butoxy-	111-76-2	1 - 4
Benzyl-C12-18-alkyldimethyl ammonium chlorides	68391-01-5	0.1 - 1
Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides	68956-79-6	0.1 - 1
O		

Composition comments

Active ingredients are listed above.

4. First Aid Measures		
First aid procedures		
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
Skin contact	If irritation develops, obtain medical attention.	
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.	
Ingestion	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.	
Notes to physician	None known.	
General advice	Wear suitable protective clothing. If you feel unwell, seek medical advice (show the label where possible).	

5. Fire Fighting Measures

Flammable properties	Not flammable by OSHA criteria.	
Extinguishing media		
Suitable extinguishing media	Alcohol foam. Water spray or fog.	
Unsuitable extinguishing media	Not available	
Protection of firefighters		
Specific hazards arising from the chemical	Not available	
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.	
Hazardous combustion products	May include and are not limited to: Oxides of carbon.	
Explosion data		
Sensitivity to mechanical impact	Not available	
Sensitivity to static discharge	Not available	

6. Accidental Release Measures

Personal precautions	Wear appropriate protective equipment and clothing during clean-up.
Methods for containment	Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Remove sources of ignition. Pick up and discard towel.

7. Handling and Storage

Handling	Use according to package label instructions.
Storage	Keep out of reach of children. Keep away from heat, open flames or other sources of ignition. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits		
Ingredient(s)		Exposure Limits
2-Propanol		ACGIH-TLV
		TWA: 200 ppm
		STEL: 400 ppm
		OSHA-PEL
		TWA: 400 ppm
Benzyl-C12-18-alkyldimethyl ammonium chlorides		ACGIH-TLV
		Not established
		OSHA-PEL
		Not established
Ethanol, 2-butoxy-		ACGIH-TLV
		TWA: 20 ppm
		OSHA-PEL
		TWA: 50 ppm
Quaternary ammonium compounds, C12-18-alkyl		ACGIH-TLV
[(ethylphenyl) methyl] dimethyl, chlor	ides	Not established
		OSHA-PEL
		Not established
Engineering controls	General ventilation	normally adequate.
Personal protective equipment		
Eye / face protection	Safety glasses	
Hand protection	Rubber gloves. Co	onfirm with a reputable supplier first.
Skin and body protection	As required by employer code. When using this product, wear disposable protective gloves, protective gowns, face masks, or eye coverings as appropriate when handling HIV-1, HBV or HCV infected blood or body fluids.	
Respiratory protection	Where exposure gu	uideline levels may be exceeded, use an approved NIOSH respirator.
General hygiene considerations		e with good industrial hygiene and safety practice. When using do not ash hands before breaks and immediately after handling the product.

9. Physical & Chemical Properties

Appearance	Liquid saturated on wipe
Color	Opaque white
Form	Pre-moistened towelette.
Odor	Mild alcohol.
Odor threshold	Not available
Physical state	Pre-moistened towelette
рН	11 - 12 (liquid)
Freezing point	Not available
Boiling point	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not applicable
Flammability limits in air, upper, % by volume	Not applicable
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	0.88 - 1.07 (liquid) (H2O = 1)
Octanol/water coefficient	Not available

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Avoid high temperatures. Do not mix with other chemicals.
Incompatible materials	Oxidizing agents. Anionic surfactants. Soaps.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50		
Ingredient(s)		LC50
2-Propanol		16970 mg/l/4h rat
Benzyl-C12-18-alkyldimethyl amm	onium chloride	s Not available
Ethanol, 2-butoxy-		2.21 mg/l/4h rat
Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides		Not available
Component analysis - Oral LD50)	
Ingredient(s)		LD50
2-Propanol		4396 mg/kg rat
Benzyl-C12-18-alkyldimethyl amm	onium chloride	s 240 mg/kg rat
Ethanol, 2-butoxy-		470 mg/kg rat; 320 mg/kg rabbit
Quaternary ammonium compound [(ethylphenyl) methyl] dimethyl, ch		250 mg/kg rat
Effects of acute exposure		
Eye	Moderate	ly irritating to the eyes.
Skin	Overexpo	sures may cause irritation.
NIOSH - Pocket Guide - Skin Not	ations	
Ethanol, 2-butoxy-	111-76-2	Potential for dermal absorption
Inhalation	Excessive inhalation of this material causes headache, dizziness, nausea and incoordination.	
Ingestion	Not a normal route of exposure. May cause stomach distress, nausea or vomiting.	
Sensitization	Non-hazardous by OSHA criteria.	
Chronic effects	Non-hazardous by OSHA criteria.	
Carcinogenicity	Non-hazardous by OSHA criteria.	
ACGIH - Threshold Limits Values	s - Carcinogens	
2-Propanol Ethanol, 2-butoxy- IARC - Group 3 (Not Classifiable	67-63-0 111-76-2)	A4 - Not Classifiable as a Human Carcinogen A3 - Confirmed animal carcinogen with unknown relevance to humans
2-Propanol Ethanol, 2-butoxy-	67-63-0 111-76-2	Monograph 71 [1999], Supplement 7 [1987], Monograph 15 [1977] Monograph 88 in preparation
Mutagenicity	Non-haza	ardous by OSHA criteria.
Reproductive effects	Non-haza	ardous by OSHA criteria.
Teratogenicity	Non-hazardous by OSHA criteria.	

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.	
Ecotoxicity - Freshwater Algae D	ata	
2-Propanol	67-63-0	96 Hr EC50 Scenedesmus subspicatus: >1000 mg/L; 72 Hr EC50 Scenedesmus subspicatus: >1000 mg/L
Ecotoxicity - Freshwater Fish Sp		
2-Propanol	67-63-0	96 Hr LC50 Pimephales promelas: 9640 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 94900 mg/L [flow-through] (29 days old); 96 Hr LC50 Pimephales promelas: 61200 mg/L [flow-through] (31 days old)
Ethanol, 2-butoxy-	111-76-2	96 Hr LC50 Lepomis macrochirus: 1490 mg/L [static]
Ecotoxicity - Microtox Data		
2-Propanol	67-63-0	5 Min EC50 Photobacterium phosphoreum: 35390 mg/L
Ecotoxicity - Water Flea Data		
2-Propanol	67-63-0	48 Hr EC50 Daphnia magna: 13299 mg/L
Ethanol, 2-butoxy-	111-76-2	24 Hr EC50 water flea: 1720 mg/L; 24 Hr LC50 Daphnia magna: 1698-1940 mg/L
Environmental effects	Not availab	le
Aquatic toxicity	Not availab	ble
Persistence / degradability	Not availab	ble
Bioaccumulation / accumulation	Not availab	le
Partition coefficient	Not availab	ble
Mobility in environmental media	Not availab	ble
Chemical fate information	Not availab	le

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Review federal, provincial, and local government requirements prior to disposal. Dispose of used towelette in accordance with local regulations for infectious waste disposal.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

Department of Transportation (DOT)

Not regulated as a hazardous material. Not flammable per ICAO Test Method 1.1.2.1

15. Regulatory Information

US Federal regulations	Commu All comp	duct is a "Hazardous Chemical" as defined by the OSHA Hazard nication Standard, 29 CFR 1910.1200. conents are on the U.S. EPA TSCA Inventory List. gistration No. 9480-6
U.S CERCLA/SARA - Haza	ardous Substances a	ind their Reportable Quantities
Ethanol, 2-butoxy-	111-76-2	1 Lb statutory RQ (no final RQ is being assigned to the generic or broad class. Includes mono- and di- ethers of ethylene glycol, diethylene glycol and triethylene glycol R-(OCH2CH2)n-OR" where n = 1, 2 or 3, R = alkyl or aryl groups, R" = R h or groups which when removed yield glycol ethers with the structure R-(OCH2CH2)n-OH. Polymers are excluded from glycol category); 0.454 k
U.S CERCLA/SARA - Sect	tion 313 - Emission R	leporting
2-Propanol	67-63-0	1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)
Ethanol, 2-butoxy-	111-76-2	1.0 Percent de minimis concentration (applies to R-(OCH2CH2)n-OR' ethers, where n = 1,2, or 3, R=alkyl C7 or less or R = phenyl or alkyl subst. phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate, Chemical Category N230)
Occupational Safety and He	alth Administration	on (OSHA)
29 CFR 1910.1200 hazar chemical	r dous Yes	
CERCLA (Superfund) report	table quantity	
None		

Superfund Amendments and Reautl	norization Act	t of 1986 (SARA)		
Hazard categories	Immediate H Delayed Haz Fire Hazard Pressure Ha Reactivity Ha	zard - No - No zard - No		
Section 302 extremely hazardous substance	No			
Section 311 hazardous chemica	I Yes			
Clean Air Act (CAA)	Not available			
Clean Water Act (CWA)	Not available			
Safe Drinking Water Act (SDWA)	Not available			
Drug Enforcement Agency (DEA)	Not available			
Food and Drug Administration (FDA)	Not available	9		
Inventory status				
Country(s) or region	Inventory name On inventory (yes/no)*			
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory Yes		Yes	
A "Yes" indicates that all components of	this product com	ply with the inventory requirements administered by the	governing country(s)	
State regulations				
	Dias stanla List			
	- Director's List 63-0 1-76-2	Present Present		
U.S Illinois - Toxic Air Contaminant	S			
· · · · · , · · · · · ,	-76-2	Present		
U.S Louisiana - Reportable Quantit	•			
Ethanol, 2-butoxy- 111 U.S Massachusetts - Right To Knov	-76-2	100 Lb RQ		
	63-0	Present		
Ethanol, 2-butoxy-	1-76-2	Present		
U.S Minnesota - Hazardous Substa 2-Propanol 67-	nce List 63-0	Present		
· · · · · · · · · · · · · · · · · · ·	1-76-2	Skin		
U.S New Jersey - Right to Know Ha	zardous Substa	ance List		
2-Propanol 67-	63-0	sn 1076; sn 2381 (strong-acid process manufacture)		
,, ,	1-76-2	sn 0275		
U.S Pennsylvania - RTK (Right to K 2-Propanol 67-	63-0	Environmental hazard		
Ethanol, 2-butoxy-	1-76-2	Present		
	63-0	Toxic; Flammable		
Ethanol, 2-butoxy- 11 ⁻	1-76-2	Toxic		

16. Other Information

Disclaimer	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.		
Recommended use	Cleaner		
Further information	Caution: Keep out of reach of children. Avoid contact with eyes and skin. Not for use on skin. Not a baby wipe. For use on hard surfaces only. Do not use on natural marble, windows, unpainted wood, brass, clear plastic or coloured grout.		
Issue date	30-Mar-2007		
Effective date	31-Mar-2007		
Prepared by	Dell Tech Laboratories Ltd. (519) 858-5021		